

### **WELCOME**








# DV500 Digital pager of Swissphone



Reliable operation
Flexible programming
Weather resistant



# **DV500**Clearly spoken text



**Text to speech** — The revolution in the field of digital alerting







### **DV500 Highlights**

- On air text messages are to be processed and spoken out
- User may define a lexicon
- Ergonomic design, very rugged
- One hand operation
- Low battery alarm (audible and visual)





#### DV500 General Features

- Sensitivity: 3,5 μV/m (best position, call)
- 6 cap codes
- Replay of pre programmed messages
- Alerting with LED flashes, vibrator and sound
- Stores up to 15 alerts showing time and date
- Memory for 2500 characters lexicon
- Programming available in two levels
- Programmable menu structure to meet users needs





### DV500 The LC-Display

#### See permanently the status of the pager:

- loud, silent or discrete alert mode / volume settings
- new message received
- save message, delete message
- clock, alarm clock
- actual cap code order number
- battery power
- out of range indication





## DV500 Physical Features

Size: 3.0" x 2.1" x 0.95"

Battery size: Single AA

weight: 3.96" including the battery

Protective housing: IP-54

build to meet MIL-STANDARD 810F for

Dust: Method 506.4, Procedure III

Rain: Method 510.4, Procedure III







#### DV500 Accessories

LGRA300/429
 Desktop charger with relay contact and BNC socket for external antennas






LG500/900
 Standard charger








### DV500 Programming I






### DV500 Programming II





### DV500 Programming III





### DV500 Programming IV

To work on timing parameters is only possible for our factory trained distributors. They use a sophisticated **service software** which allows to change band-range and receiving frequency.

The programming software is able to handle all the variations of the DV500. Once licensed, future upgrades are free of charge.





### We look forward to serving you





